| File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy |
|--|
| |

| 31/2 - | | 18# | 7 |
|-------------|-----|-----|---|
| Application | No. | | |

| OWNER: Name. SOLDH SMORUE. OUNTER: Name. OUNTER: County AND AUTE. Ounty AND AUTE. Ounty AND AUTE. Ounty AND AUTE. | \mathcal{D}_{α} | 5 G1-2 | 30249 |
|---|--|------------------------|-----------------|
| LOCATION OF WELL: County - 12 And | Address FREE THE ROLLON | 5 7 | が とり フ |
| LOCATION OF WELL: County - 12 And | (Plan Head 18 | | |
| aring and distance from section or subdivision corner 2000 2 | Sec. | T.31. N., R. | 26 w.m. |
| | SENTSEC 18 900' SOUTH | | |
|) PROPOSED USE: Domestic [] Industrial [] Municipal [5] | (10) WELL LOG: | | |
|) PROPOSED USE: Domestic □ Industrial □ Municipal ♥ Irrigation □ Test Well □ Other □ | The state of the section of the sect | iterial and str | ucture, and |
| | stratum penetrated, with at least one entry for e | | |
| TYPE OF WORK: Owner's number of well (if more than one) | MATERIAL | FROM | TO |
| New well 15 Method: Dug Bored Caple Driven C | GARD POW CR | - 10 | - A |
| Reconditioned Rotary Jetted | Spho BR | 30 | 50 |
|) DIMENSIONS: Diameter of well inches. | WOLD LANGE WWW. | >5 | 105 |
| Drilled | | | |
| | | | |
| construction details: | | | |
| Casing installed: 6 Diam. from 8 ft. to 95 ft. Threaded () Diam. from ft. to ft. | | | |
| Threaded Diam. from 1. to 1. to 1. to 1. to 1. | | | + |
| | | | |
| Perforations: Yes No Type of perforator used. | | | |
| SIZE of perforations in. by in. | | | - ' |
| perforations from ft. to ft. perforations from ft. to ft. | | | |
| perforations from the to the fit. | | | + |
| | | | |
| Screens: Yes Y No D | | | |
| _ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | | | |
| Diam. Slot size from 75 ft. to 65 ft. Diam. Slot size from ft. to ft. | | | |
| Diam. Slot size Irolii | | | |
| Gravel packed: Yes No Size of gravel: | | | |
| Gravel placed from ft. to ft. | | | |
| Surface seal: Yes No D To what depth? 20 nt. | | | |
| Material used in seal BEA TOTILE Did any strata contain unusable water? Yes \(\scale \) No \(\scale \) | | | |
| Type of water? Depth of strata | | | |
| Method of sealing strata off. | <u> </u> | | |
| (7) PUMP: Manufacturer's Name. | | | |
| Type: H.P. | 0FP 1 () | 982 | |
| (8) WATER LEVELS: Land-surface elevation above mean sea level. 405 | | | |
| Static lovel F-C ft, below top of well Date | | | |
| Artesian pressure | | RECT | |
| Artesian water is controlled by(Cap, valve, etc.) | | | |
| (9) WELL TESTS: Drawdown is amount water level is lowered below static level Conf. | Work started 9/10 1982. Complete | 9/11 | 19 |
| (9) WELL TESTS: Drawdown is amount water Drawdown is amount water | 11012 | | |
| Yield: O gal /min. with M. Kt. drawdown after his. | - I | | ic venout is |
| | This well was drilled under my jurisd true to the best of my knowledge and be | ction and tr clief. | ns report is |
| n n n n n n n n n n n n n n n n n n n | · | `, , | |
| Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level) | NAME: | 1.106 | or print) |
| Time Water Level Time Water Level Time Water Level | (Person, firm, or corporation) | -h / h | PA |
| | Address | 164/6 | ~~ |
| | | | |
| Date of test | [Signed] (Well Drill | r) , | |
| Bailer test gal/min with ft. drawdown after hrs Artesian flow g.p.m. Date | ' / , | 10/4 | 150- |
| a LJ Bear Pill. Date | License No. A. 6.2 Date | 1 W/ | |



Well Tagging Form

Dept of Ecology WR-NWRO

APR 09 2009

Unique Well Tag No: BAA997

RECORD VERIFICATION (check ✓one)

| Γ | |
|-----------|---|
| 1 1/1 | |
| 1 X I | |
| 1 / N | |
| φ | ٠ |
| / | |

Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you).

If a well report is not available, please complete a "Water Well Report for an Existing Well" form. This form is available at Ecology's headquarters office. Do not use this form for wells that do not have a Water Well Report.

| WELL OWNERSHIP, IF DIFFERENT FROM WELL REPORT |
|---|
| First Name: Sandberg Water ASSOCIATion (Source #2) |
| Street Address: 380 F. Coddington Road |
| City: Coupeville State: WA 98239 |
| |
| LOCATION OF WELL, IF DIFFERENT FROM WELL REPORT |
| Well Address: Parcel R 23118-145 - 4460 Sandburg Road |
| City: Coupeville county: Island |
| T. 3/ N. R. 2 |
| Latitude* |
| Longitude" |
| Elevation at land surface |
| |
| |

SEE BACK SIDE OF PAGE...

| · : | | | , | . • | • | |
|--------|----------------------|-----|------------|--------------------------|-----------------------------------|-------------------|
| | | | ٠. | WELL CHARAC | TERISTICS | |
| Locati | | | tification | rag: o well casing- | inside wooden | en choure |
| | | . : | | | • , • | |
| .D | Ĉ | В | Α | Scale 1:24,000 (1" = 2,0 | 000') | |
| E | j. F 2 22 2 | G | Н | | e well within the Section by draw | |
| M | L | K | J | SECTION 10 | | essent egan |
| N | Р | Q | R T | well, | | a straight managh |
| • | MENTS | | V is | current | native due to | |
| 1 | | ~. | due; | <i>1</i> · | | Markette Contra |

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

WATER WELL REPORT STATE OF WASHINGTON

3//2 — 18# J

| | POINTINA RO ROS | 9 | 1249 |
|--|---|--------------|----------------|
| 1) OWNER: Name SOLOH SMOALE | Address FA A Address 18 21 | N. R | <u> </u> |
| 2) LOCATION OF WELL: County + 52 4 5 5 | | N., R! | ", |
| | CION THEFT I COC. | | |
| 3) PROPOSED USE: Domestic [Industrial [Municipal [] Irrigation [] Test Well [] Other [] | Formation: Describe by color, character, size of material | and stru | cture, and |
| 4) TYPE OF WORK; Owner's number of well 8 | stratum penetrated, with at least one entry for such che | FROM | TO |
| New well & Method: Dug Bored | BIARD POW CR | O | 18 |
| Deepened Cable Driven | COND BR | 79 | 20 |
| Reconditioned [Rotary R Jetted [| HARD PAN GRAY | 30_ | 25 |
| Dimensions: Diameter of well inches. Depth of completed well of rt. | EARD + GARRIEL & W.1 | <u> בצל</u> | 105 |
| (6) CONSTRUCTION DETAILS: | | | |
| Casing installed: Casing insta | | | |
| Threaded [" Diam, from ft. to ft. | · | | |
| Welder Diam. from ft. to ft. | | | |
| Perforations: Yes No I | | <u></u> | |
| Perforations: Yes No Type of perforator used. | . | | |
| SIZE of perforations in. by in. | · | | |
| perforations from ft. to ft. to ft. | | | |
| perforations fromft. toft perforations fromft. toft | | | |
| periorations from 3 | | | |
| Screens: Yes No D JOHNSON | | | - |
| | · | _ | · |
| Diaro. Slot size & from ft. to 65. ft | , | | |
| Diam. Slot size from ft. to ft | | | |
| | | | i |
| Gravel placed from ft. to ft. to ft. | | | |
| Gravel placed from | | | |
| Surface seal: Yes No D To what depth? | | L | 1 |
| Material used in seal BENTOTIL | 7 | <u> </u> | ļ |
| Did any strata contain unusable water? Yes No [Type of water? | | - | |
| Method of sealing strata off. | | | . <u>i</u> |
| | | | |
| (7) PUMP: Manufacturer's Name. Type: HP. | | } | |
| | 1801 11982 | | |
| (8) WATER LEVELS: Land-surface elevation above mean sea level | f. | | |
| Statistand F-C ft. below top of well Date | ··· | | - |
| Artesian pressure | | 1 | |
| Artesian water is controlled by (Cap, valve, etc.) | - | | |
| (9) WELL TESTS: Drawdown is amount water level is lowered below static level \ O A \ (1) | Work started 9/10 1982. Completed T | /11 | 10 |
| Was a pump test made? Yes No U yes, by whom? | | | |
| Yield: O gal./min. with MAKt. drawdown after his | ⇒ \ | | |
| | This well was drived under my jurisdiction | and thi | is report is |
| " | - | | |
| Recovery data (time taken as zero when pump turned off) (water lev measured from well top to water level) | " SAW 1) RIZZINO | ζ | |
| Time Water Level Time Water Level Time Water Leve | (Person, firm, or corporation) | Type or | print) |
| | " Later UNSO F DEER | <i>\/</i> | KQ |
| | Address | | • |
| | "" Louis las /LS | | |
| Date of test | [Signed](Well Driller) | , , | , / |
| A steelan finwg.p.m. Dateg.p.m. | " 1. n 2/45 Data 1/0 | /4/ | 52. |
| Temperature of water Was a chemical analysis made? Yes [] No | License No. A. C. J. Date Date | | |

Report

Page 1 of 1 Seawater Intrusion Rating 'No Data (CL < 100)' Risk

WATER WELL REPORT

State of Washington

IC Site ID: 9U7 Start Card:

Hydrogeologic Database: 07-Apr-09

Disclaimer: Data presented has been collected from a variety of sources. Island County makes no guarantee as to the validity or accuracy of this data. Please report any errors to the Island County Hydrogeologist

Water Right:

BAA99>

Unique Well ID

(1) OWNER: Address: P.O. Box 5 Freeland WA, 98249 Name: Sandy Sandburg Parcel Number: R231((2) LOCATION OF WELL: Island: Whidbey Township/Range-Section: 31N/02E-17N (2a) Well Address 2000'E. (?) Sec. 18 900' South PWS-ID: 22691T Source; 2 PWS-Name: Sandberg Water Assn (10) WELL LOG DESCRIPTION: (3) PROPOSED USE: Municipal Supply From From Type:

(4) TYPE OF WORK:

New Well

(5) DIMENSIONS:

Drilled: 105 feet.

(6) CONSTRUCTION

Casing Installed:

Surface seal:

Material:

Type:

(8) WATER LEVELS:

(8) WATER LEVELS:

(9) WELL TESTS:

Type Yield

Pump 10 Thick BGS MSI. Owner's Well Number (if more than one): 2 Hard Pan Gr. 0264 18 Method: Rotary Sand Br. 12 18 246 Hard Pan Gray 30 234 45 Diameter of Well inches. 6 Sand & Gravel W.W. 75 189 30 Depth of Completed Well: ft. 105 159 (6) CONSTRUCTION DETAILS: to (ft) Diam. (in) from 6 95 Diam Slot from to (ft) Zone 0.06 95 105 ft. Bentonite To depth: Horsepower: Land-surface elevation (MSL): 400 fì (8) WATER LEVELS: 1 AvgWL Elevation: 184 Calc'd Elev: ſŧ. ft. below too Date: 11-Sep-82 ft, below too Date: 11-Sep-82 Average Date: 11-Sep-82 ft, below too Work Completed: 11-Sep-82 TD Elev: 159 ft. MSL WELL CONSTRUCTOR CERTIFICATION: Drawdown After Date Name: B & W Drilling Co. 4 hours 11-Sep-82 gpm feet Address: P.O. Box 55, Freeland, WA 98249 Contractor's Registration Number: BWPUMC152 Remarks: Emergency well. Currently no pump installed. North: 431021 Latitd: 48 10,08193 Location Source: :East: 1571877 Longit: 122 35,34763 Parcel R23117-067-0990 Max CL: Generated by the Island County

Max NO3